

What is claimed is:

1. An image processing apparatus comprising:

a plurality of entry screens;

first display means for selectively displaying an entry

5 screen from the plurality of entry screens;

setting means for setting an operation condition on the  
displayed entry screen;

a list screen on which all the set operation conditions are  
collectively displayed; and

10 second display means for displaying the entry screen  
displayed by the first display means and the list screen at the  
same time.

2. An image processing apparatus comprising:

15 a display;

first control means for selectively displaying an entry  
screen from a plurality of entry screens on the display;

setting means for setting an operation condition on the  
displayed entry screen; and

20 second control means for displaying the entry screen  
displayed by the first display means and a list screen on which  
all the set operation conditions are collectively displayed at  
the same time.

25 3. A setting method comprising the steps of:

a first step in which one of a plurality of entry screens is displayed;

a second step in which an operation condition is set on the displayed entry screen;

5 a third step in which a plurality of operation conditions is set by repeating the first step and the second step; and

a fourth step in which a list of all the set operation conditions and the entry screen are displayed at the same time.

10 4. A setting method comprising the steps of:

displaying one of a plurality of entry screens;

setting an operation condition through the displayed entry screen; and

display the entry screen and a list of all the set operation

15 conditions at the same time.

5. A computer program product executing the procedures of:

displaying one of a plurality of entry screens;

setting an operation condition through the displayed entry

20 screen; and

display the entry screen and a list of all the set operation conditions at the same time.

6. An operation condition setter for setting values for a

25 plurality of items specifying operation conditions of an image

processing apparatus, said setter comprising:

selection means for selecting one group from among a plurality of groups into which the items are classified;

first generation means for generating an entry screen for  
5 entering data for an item belonging to the selected group;

first display control means for displaying the entry screen on a display;

setting means for registering the data entered for the item on the entry screen as a set value of the item;

10 second generation means for generating a list of setting results of the operation conditions based on the set values of all the items; and

second display control means for displaying the list on the display.

15 7. An operation condition setter as claimed in claim 6, further comprising:

detection means for detecting a combination of set values at which the image processing apparatus can operate; and

20 inhibition means for inhibiting a combination of set values at which the image processing apparatus cannot operate.

8. An operation condition setter as claimed in claim 6,

wherein said second generation means generates the list by  
25 use of symbols including letters, numbers and icons.

9. An operation condition setter as claimed in claim 6,  
wherein said second generation means generates the list so  
as to include settable values.

5

10. An operation condition setter as claimed in claim 6, further  
comprising identification means for identifying, among the  
setting results shown in the list, a setting result decided based  
on the set value of an item on the displayed entry screen,

10 wherein said second display control means displays the list  
so that the identified setting result is distinguished from the  
other setting results.

11. An operation condition setter as claimed in claim 6, further  
15 comprising:

selection means for selecting one of the setting results  
shown in the list; and

switching means for switching the entry screen to an entry  
screen including an item deciding the selected setting result,

20 wherein said first display control means displays the entry  
screen including an item deciding the selected setting result.

12. An operation condition setter as claimed in claim 6,

wherein said operation condition of the image processing  
25 apparatus is at least one of an operation condition associated

with a print function and an operation condition associated with a postprocessing function performed after printing.